

HistoricBridges.org - National Bridge Inventory Data Sheet

2010 Inventory

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information

Pennsylvania [42]	Tioga County [117]	Deerfield [18552]	1.5 MI SW OF KNOXVILLE	41-56-54 = 41.948333	077-27-36 = - 77.460000
587207040200040	Highway agency district: 3	Owner County Highway Agency [02]	Maintenance responsibility	County Highway Agency [02]	
Route 0		DEERFIELD TWP T402	Toll On free road [3]	Features intersected	COWANESQUE RIVER
Design - main	Steel [3]	Design - approach		Kilometerpoint	0 km = 0.0 mi
2	Truss - Thru [10]	0	Other [00]	Year built	1917
				Year reconstructed	1970
				Skew angle	0
				Structure Flared	
				Historical significance	Bridge is not eligible for the NRHP. [5]
Total length	53.3 m = 174.9 ft	Length of maximum span	25.9 m = 85.0 ft	Deck width, out-to-out	4.9 m = 16.1 ft
Bridge roadway width, curb-to-curb	4.9 m = 16.1 ft	Inventory Route, Total Horizontal Clearance	4.9 m = 16.1 ft	Curb or sidewalk width - left	0.2 m = 0.7 ft
Curb or sidewalk width - right	0.2 m = 0.7 ft	Deck structure type	Closed Grating [4]		
Type of wearing surface	Bituminous [6]				
Deck protection					
Type of membrane/wearing surface					

Weight Limits

Bypass, detour length	Method to determine inventory rating	Load Factor(LF) [1]	Inventory rating	7.3 metric ton = 8.0 tons
0.6 km = 0.4 mi	Method to determine operating rating	Load Factor(LF) [1]	Operating rating	12.7 metric ton = 14.0 tons
Bridge posting		Design Load	M 13.5 / H 15 [2]	

Functional Details

Average Daily Traffic	75	Average daily truck traffi	0	%	Year	2009	Future average daily traffic	116	Year	2031
Road classification	Local (Rural) [09]		Lanes on structure	2		Approach roadway width	4.3 m = 14.1 ft			
Type of service on bridge	Highway [1]		Direction of traffic	One lane bridge for 2 - way traffic [3]		Bridge median				
Parallel structure designation	No parallel structure exists. [N]									
Type of service under bridge	Waterway [5]		Lanes under structure	0		Navigation control				
Navigation vertical clearanc	0 = N/A		Navigation horizontal clearance	0 = N/A						
Minimum navigation vertical clearance, vertical lift bridge	0 m = 0.0 ft					Minimum vertical clearance over bridge roadway	10 m = 32.8 ft			
Minimum lateral underclearance reference feature	Feature not a highway or railroad [N]									
Minimum lateral underclearance on right	0 = N/A					Minimum lateral underclearance on left	0 = N/A			
Minimum Vertical Underclearance	0 = N/A		Minimum vertical underclearance reference feature	Feature not a highway or railroad [N]						
Appraisal ratings - underclearances	N/A [N]									

Repair and Replacement Plans

Type of work to be performed	Work done by	Work to be done by contract [1]		
Replacement of bridge or other structure because of substandard load carrying capacity or substantial bridge roadway geometry. [31]	Bridge improvement cost	0	Roadway improvement cost	0
	Length of structure improvement	53 m = 173.9 ft	Total project cost	1000
	Year of improvement cost estimate			
	Border bridge - state		Border bridge - percent responsibility of other state	
	Border bridge - structure number			

Inspection and Sufficiency

Structure status	<input type="text" value="Posted for load [P]"/>	Appraisal ratings - structural	<input type="text" value="Basically intolerable requiring high priority of replacement [2]"/>
Condition ratings - superstructure	<input type="text" value="Serious [3]"/>	Appraisal ratings - roadway alignment	<input type="text" value="Equal to present minimum criteria [6]"/>
Condition ratings - substructure	<input type="text" value="Fair [5]"/>	Appraisal ratings - deck geometry	<input type="text" value="N/A [N]"/>
Condition ratings - deck	<input type="text" value="Poor [4]"/>		
Scour	<input type="text" value="Bridge foundations determined to be stable for assessed or calculated scour condition. [5]"/>		
Channel and channel protection	<input type="text" value="Bank protection is being eroded. River control devices and/or embankment have major damage. Trees and rush restrict the channel. [5]"/>		
Appraisal ratings - water adequacy	<input type="text" value="Equal to present desirable criteria [8]"/>	Status evaluation	<input type="text" value="Structurally deficient [1]"/>
Pier or abutment protection	<input type="text"/>	Sufficiency rating	<input type="text" value="30.4"/>
Culverts	<input type="text" value="Not applicable. Used if structure is not a culvert. [N]"/>		
Traffic safety features - railings	<input type="text"/>		
Traffic safety features - transitions	<input type="text"/>		
Traffic safety features - approach guardrail	<input type="text"/>		
Traffic safety features - approach guardrail ends	<input type="text"/>		
Inspection date	<input type="text" value="July 2009 [0709]"/>	Designated inspection frequency	<input type="text" value="12"/> Months
Underwater inspection	<input type="text" value="Not needed [N]"/>	Underwater inspection date	<input type="text"/>
Fracture critical inspection	<input type="text" value="Not needed [N]"/>	Fracture critical inspection date	<input type="text"/>
Other special inspection	<input type="text" value="Not needed [N]"/>	Other special inspection date	<input type="text"/>