The National Bridge Inventory contains data submitted by state transportion departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information							39-48-51 =	079-01-55 = -
Pennsylvania [42]	Somerset County [11	1]	Meyersdale [48912]	MEYERSDALE BOR	MEYERSDALE BOROUGH			79.031944
557411814230380	Highway agency district 9		Owner County Highway Agency [02]		Maintenance re	esponsibility	County Highway A	Agency [02]
Route 0 NORTH STREET Toll On free road [3] Features intersected FLAUGHERTY CREEK								
Design - Steel [3] main Truss - Thru [[10]	Design - approach Other	[00]	Kilometerpoint 0 Year built #Num! Skew angle 0 Historical significance	Structure Fla	enstructed 1975 red eligible for the	e NRHP. [5]	
Total length 29.6 m = 97.1 ft Length of maximum span 29.3 m = 96.1 ft Deck width, out-to-out 4.9 m = 16.1 ft Bridge roadway width, curb-to-curb 4.5 m = 14.8 ft								
Inventory Route, Total Horizontal Clearance 4.5 m = 14.8 ft		Curb or sidewalk width - left 0.2 m = 0		0.7 ft	Curb or sidew	valk width - right	0.2 m = 0.7 ft	
Deck structure type Wood or Timber [8]								
Type of wearing surface Wood or Timber [7]								
Deck protection								
Type of membrane/wearing surface								
Weight Limits								
Bypass, detour length Method to determine inventory rating		Allowable Stress(AS) [2]		nventory rating 2	2.7 metric ton = 3	.0 tons		
1.3 km = 0.8 mi Method to determine operating rating		Allowable Stress(AS) [2]		Operating rating 5.4 metric ton = 5.9 tons		.9 tons		
Bridge posting					Design Load M 13	.5 / H 15 [2]		

Functional Details								
Average Daily Traffic 100 Average daily tru	ck traffi % Year 2009 Future average daily traffic 125 Year 2029							
Road classification Local (Rural) [09]	Lanes on structure 1 Approach roadway width 4.9 m = 16.1 ft							
Type of service on bridge Highway [1]	Direction of traffic One lane bridge for 2 - way traffic [3] Bridge median							
Parallel structure designation No parallel structure	exists. [N]							
Type of service under bridge Waterway [5]	Lanes under structure 0 Navigation control							
Navigation vertical clearanc 0 = N/A	Navigation horizontal clearance 0 = N/A							
Minimum navigation vertical clearance, vertical lift bridge Minimum vertical clearance over bridge roadway 4 m = 13.1 ft								
Minimum lateral underclearance reference feature Feature not a highway or railroad [N]								
Minimum lateral underclearance on right 0 = N/A Minimum lateral underclearance on left 0 = N/A								
Minimum Vertical Underclearance 0 = N/A Minimum vertical underclearance reference feature Feature not a highway or railroad [N]								
Appraisal ratings - underclearances N/A [N]								
Repair and Replacement Plans								
Type of work to be performed	Work done by Work to be done by contract [1]							
Replacement of bridge or other structure because of substandard load carrying capacity or substantial	Bridge improvement cost 0 Roadway improvement cost 0							
bridge roadway geometry. [31]	Length of structure improvement 37 m = 121.4 ft Total project cost 1000							
	Year of improvement cost estimate							
	Border bridge - state Border bridge - percent responsibility of other state							
	Border bridge - structure number							

Inspection and Sufficiency									
Structure status Posted for load [P]		Appraisal ratings - structural	Basically intolerable requiring I	high priority of replacement [2]					
Condition ratings - superstructur	ndition ratings - superstructur Serious [3]		Somewhat better than minimum adequacy to tolerate being left in place as is [5]						
Condition ratings - substructure	Satisfactory [6]	Appraisal ratings -	Basically intolerable requiring high priority of replacement [2]						
Condition ratings - deck	Satisfactory [6]	deck geometry							
Scour	Bridge foundations determine	Bridge foundations determined to be stable for the assessed or calculated scour condition. [8]							
Channel and channel protection		Bank is beginning to slump. River control devices and embankment protection have widespread minor damage. There is minor stream bed movement evident. Debris is restricting the channel slightly. [6]							
Appraisal ratings - water adequac	cy Equal to present minimum cri	iteria [6]	Status evaluation	Structurally deficient [1]					
Pier or abutment protection				20.7					
Culverts Not applicable. Used	if structure is not a culvert. [N]								
Traffic safety features - railings									
Traffic safety features - transition	ns								
Traffic safety features - approach	n guardrail								
Traffic safety features - approach	h guardrail ends								
Inspection date April 2009 [0409] Designated inspection frequency 24 Months									
Underwater inspection	Not needed [N]	Underwater inspec	ction date						
Fracture critical inspection Not needed [N]		Fracture critical inspection date							
Other special inspection	Not needed [N]	Other special insp	ection date						