

# HistoricBridges.org - National Bridge Inventory Data Sheet

2019 Inventory

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

## Basic Information

Pennsylvania [42]		Dauphin County [043]		Conewago [15640]		CONEWAGO TOWNSHIP		40-12-27.01 = 40.207503		076-34-52.22 = -76.581172	
14627		Highway agency district: 8		Owner State Toll Authority [31]		Maintenance responsibility		State Toll Authority [31]			
Route 0		LR 22010,SR2009		Toll On free road [3]		Features intersected		PA TPK (I-76)			
Design - main		Concrete [1]		Design - approach		Kilometerpoint 154.3 km = 95.7 mi		Year built 1950		Year reconstructed N/A [0000]	
1		Frame [07]		0		Other [00]		Skew angle 21		Structure Flared	
								Historical significance		Historical significance is not determinable at this time. [4]	
Total length		28.3 m = 92.9 ft		Length of maximum span		25.6 m = 84.0 ft		Deck width, out-to-out		8.8 m = 28.9 ft	
Inventory Route, Total Horizontal Clearance		7.9 m = 25.9 ft		Curb or sidewalk width - left		0.2 m = 0.7 ft		Curb or sidewalk width - right		0.7 m = 2.3 ft	
Deck structure type		Not applicable [N]									
Type of wearing surface		Monolithic Concrete (concurrently placed with structural deck) [1]									
Deck protection											
Type of membrane/wearing surface											

## Weight Limits

Bypass, detour length		Method to determine inventory rating		Load Factor(LF) [1]		Inventory rating		32.7 metric ton = 36.0 tons	
0.3 km = 0.2 mi		Method to determine operating rating		Load Factor(LF) [1]		Operating rating		55.3 metric ton = 60.8 tons	
Bridge posting		Equal to or above legal loads [5]		Design Load		MS 18 / HS 20 [5]			

### Functional Details

Average Daily Traffic	489	Average daily truck traffi	9	%	Year	2018	Future average daily traffic	411	Year	2030
Road classification	Local (Rural) [09]		Lanes on structure	2		Approach roadway width	6.7 m = 22.0 ft			
Type of service on bridge	Highway [1]		Direction of traffic	2 - way traffic [2]		Bridge median				
Parallel structure designation	No parallel structure exists. [N]									
Type of service under bridge	Highway, with or without ped		Lanes under structure	4		Navigation control	Not applicable, no waterway. [N]			
Navigation vertical clearanc	0 = N/A		Navigation horizontal clearance	0 = N/A						
Minimum navigation vertical clearance, vertical lift bridge	0 m = 0.0 ft					Minimum vertical clearance over bridge roadway	99.99 m = 328.1 ft			
Minimum lateral underclearance reference feature	Highway beneath structure [H]									
Minimum lateral underclearance on right	3.1 m = 10.2 ft					Minimum lateral underclearance on left	1.2 m = 3.9 ft			
Minimum Vertical Underclearance	4.12 m = 13.5 ft		Minimum vertical underclearance reference feature	Highway beneath structure [H]						
Appraisal ratings - underclearances	Basically intolerable requiring high priority of corrective action [3]									

### Repair and Replacement Plans

Type of work to be performed

Work done by

Bridge improvement cost

0

Roadway improvement cost

0

Length of structure improvement

36 m = 118.1 ft

Total project cost

0

Year of improvement cost estimate

Border bridge - state

Border bridge - percent responsibility of other state

Border bridge - structure number

## Inspection and Sufficiency

Structure status	Open, no restriction [A]	Appraisal ratings - structural	Equal to present minimum criteria [6]
Condition ratings - superstructure	Satisfactory [6]	Appraisal ratings - roadway alignment	Equal to present desirable criteria [8]
Condition ratings - substructure	Satisfactory [6]	Appraisal ratings - deck geometry	Somewhat better than minimum adequacy to tolerate being left in place as is [5]
Condition ratings - deck	Satisfactory [6]		
Scour	Bridge not over waterway. [N]		
Channel and channel protection	Not applicable. [N]		
Appraisal ratings - water adequacy	N/A [N]	Status evaluation	Functionally obsolete [2]
Pier or abutment protection		Sufficiency rating	87.4
Culverts	Not applicable. Used if structure is not a culvert. [N]		
Traffic safety features - railings			
Traffic safety features - transitions			
Traffic safety features - approach guardrail			
Traffic safety features - approach guardrail ends			
Inspection date	March 2017 [0317]	Designated inspection frequency	24 Months
Underwater inspection	Not needed [N]	Underwater inspection date	
Fracture critical inspection	Not needed [N]	Fracture critical inspection date	
Other special inspection	Not needed [N]	Other special inspection date	