

# HistoricBridges.org - National Bridge Inventory Data Sheet

2019 Inventory

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

## Basic Information

Pennsylvania [42]		Bedford County [009]		Bedford [04952]		WEST OF BEDFORD INTERCHGE		40-03-00.00 = 40.050000		078-31-24.00 = -78.523333	
4422		Highway agency district: 9		Owner State Toll Authority [31]		Maintenance responsibility		State Toll Authority [31]			
Route 0		T-494		Toll On free road [3]		Features intersected		PA TPK (I-76)			
Design - main		Concrete [1]		Design - approach		Kilometerpoint 0 km = 0.0 mi		Year built 1939		Year reconstructed N/A [0000]	
1		Frame [07]		0		Other [00]		Skew angle 10		Structure Flared	
								Historical significance		Bridge is not eligible for the NRHP. [5]	
Total length		27.1 m = 88.9 ft		Length of maximum span		24.1 m = 79.1 ft		Deck width, out-to-out		7 m = 23.0 ft	
								Bridge roadway width, curb-to-curb		6.2 m = 20.3 ft	
Inventory Route, Total Horizontal Clearance		6.2 m = 20.3 ft		Curb or sidewalk width - left		0.2 m = 0.7 ft		Curb or sidewalk width - right		0.2 m = 0.7 ft	
Deck structure type		Concrete Cast-in-Place [1]									
Type of wearing surface		Bituminous [6]									
Deck protection											
Type of membrane/wearing surface											

## Weight Limits

Bypass, detour length		Method to determine inventory rating		Inventory rating	
0.8 km = 0.5 mi				34.5 metric ton = 38.0 tons	
		Method to determine operating rating		Operating rating	
				58.1 metric ton = 63.9 tons	
Bridge posting		Equal to or above legal loads [5]		Design Load	
				MS 18 / HS 20 [5]	

### Functional Details

Average Daily Traffic	200	Average daily truck traffi	9	%	Year	1992	Future average daily traffic	315	Year	2030
Road classification	Local (Rural) [09]		Lanes on structure	2		Approach roadway width	6.7 m = 22.0 ft			
Type of service on bridge	Highway [1]		Direction of traffic	2 - way traffic [2]		Bridge median				
Parallel structure designation	No parallel structure exists. [N]									
Type of service under bridge	Highway, with or without ped		Lanes under structure	4		Navigation control	Not applicable, no waterway. [N]			
Navigation vertical clearanc	0 = N/A		Navigation horizontal clearance	0 = N/A						
Minimum navigation vertical clearance, vertical lift bridge	0 m = 0.0 ft					Minimum vertical clearance over bridge roadway	99.99 m = 328.1 ft			
Minimum lateral underclearance reference feature	Highway beneath structure [H]									
Minimum lateral underclearance on right	3.1 m = 10.2 ft					Minimum lateral underclearance on left	1.5 m = 4.9 ft			
Minimum Vertical Underclearance	4.33 m = 14.2 ft		Minimum vertical underclearance reference feature	Highway beneath structure [H]						
Appraisal ratings - underclearances	Basically intolerable requiring high priority of corrective action [3]									

### Repair and Replacement Plans

Type of work to be performed	Work done by	Work to be done by owner's forces [2]		
Bridge rehabilitation because of general structure deterioration or inadequate strength. [35]	Bridge improvement cost	6000	Roadway improvement cost	17000
	Length of structure improvement	35 m = 114.8 ft	Total project cost	78000
	Year of improvement cost estimate			
	Border bridge - state		Border bridge - percent responsibility of other state	
	Border bridge - structure number			

## Inspection and Sufficiency

Structure status	Open, no restriction [A]	Appraisal ratings - structural	Meets minimum tolerable limits to be left in place as is [4]
Condition ratings - superstructure	Poor [4]	Appraisal ratings - roadway alignment	Better than present minimum criteria [7]
Condition ratings - substructure	Fair [5]	Appraisal ratings - deck geometry	Meets minimum tolerable limits to be left in place as is [4]
Condition ratings - deck	Poor [4]		
Scour	Bridge not over waterway. [N]		
Channel and channel protection	Not applicable. [N]		
Appraisal ratings - water adequacy	N/A [N]	Status evaluation	Structurally deficient [1]
Pier or abutment protection		Sufficiency rating	47.3
Culverts	Not applicable. Used if structure is not a culvert. [N]		
Traffic safety features - railings			
Traffic safety features - transitions			
Traffic safety features - approach guardrail			
Traffic safety features - approach guardrail ends			
Inspection date	September 2018 [0918]	Designated inspection frequency	24 Months
Underwater inspection	Not needed [N]	Underwater inspection date	
Fracture critical inspection	Not needed [N]	Fracture critical inspection date	
Other special inspection	Not needed [N]	Other special inspection date	